

Nomination for Waters Important to Anadromous Fish



anadromous Water Co			
il idial of the de the term	atalog Number of Waterway	192-30-10100-XXXX 204	0-3106
lame of Waterway	Koehl's Creek (trib to the Du	uktoth) USGS Name	✓ Local Name
	☐ Deletion ☐ Correction	n 🔲 Backup Information	
	For	Office Use	
lomination #	03 017	7/1/ 3/	120/03
evision Year:	2003	Regional Supervisor	Date
	Catalog	21	unreo3
	Both X	AWC Project Biologist	Date
evision Code:	A-2	dorone _	A-2
		Drafted	Date
	ORSEDVATI	ON INFORMATION	
Species	Date(s) Observed	Spawning Regring KA DEPT Presen	t Anadromou
coho	5/18-5/24/2001	(81) FISH & GAME	/
ing	5/18-5/24/2001	JUN 2 6 2002	<u> </u>
Oolly Varden	5/18-5/24/2001		
		PESTON	ON
		HABITAT AND RESIDEAT	
throughout surveys	GPS Point at P-line where stream C	on the master map. U of A P-line was used for 0.000 08.804 - 0.000 08.804 - 0.000 08.804 - 0.000 08.804 - 0.000 08.804 - 0.000 08.804 - 0.000 08.804 - 0.000 08.804 - 0.000 08.804 - 0.000	ream is identified or reference ent of Koehl's
throughout surveys, 6 Creek N60° 08.622 - V N60.08.698 - W142.32 08.820 W142° 31.716 N60° 08.845 - W142° 3 Stream characteristic system. Good rearing See excel sheet for fu Stream surveys were traps. Soak times for	GPS Point at P-line where stream of W142° 32.569. There is one tributary .362. It's upper extent is 416' below exists a three channel juntion. Upp 31.667, upper extent of trib 3 N60° (cs.; Width 3 - 5 m, depth 1 - 1.5 m. Sign habitat. Lower extent flows into urther descriptions.	rosses Nö0° 08.804 - W142° 31.755. Lower ext y south of the P-line junction location with Ko w P-line N60,08.705 - W142,32.251. 200' north per extent trib 1 N60° 08.845 - W142° 31.610, u 08.914 - W 142° 31.618. Substrate small cobble and gravel. Excellent a swamp area that continues into the Dukto e. Field crews surveyed streams for fish using nutes per trap/ two traps per sample site. Co	or reference tent of Koehl's tehl's Creek to of the P-line, Nóo upper extent trib 2 pools throughout oth River.
throughout surveys, of Creek N60° 08.622 - V N60.08.698 - W142.32 08.820 W142° 31.716 N60° 08.845 - W142° 3 Stream characteristic system. Good rearing See excel sheet for full Stream surveys were traps. Soak times for identified and release	GPS Point at P-line where stream of N142° 32.569. There is one tributary .362. It's upper extent is 416' below exists a three channel juntion. Upp 31.667, upper extent of trib 3 N60° (cs.; Width 3 - 5 m, depth 1 - 1.5 m. Sign habitat. Lower extent flows into urther descriptions. part of the U of A Helicopter Cruis traps were usually less than 30 minded and site. Field traps were compared to the U of A Helicopter Cruis traps were usually less than 30 minded and site.	rosses Nö0° 08.804 - W142° 31.755. Lower ext y south of the P-line junction location with Ko w P-line N60,08.705 - W142,32.251. 200' north per extent trib 1 N60° 08.845 - W142° 31.610, u 08.914 - W 142° 31.618. Substrate small cobble and gravel. Excellent a swamp area that continues into the Dukto e. Field crews surveyed streams for fish using nutes per trap/ two traps per sample site. Co	or reference pent of Koehl's pehl's Creek n of the P-line, Nóð upper extent trib 2 pools throughout oth River
throughout surveys, (Creek N60° 08.622 - V N60.08.698 - W142.32 08.820 W142° 31.716 N60° 08.845 - W142° 3 Stream characteristic system. Good rearing See excel sheet for full Stream surveys were traps. Soak times for identified and release Name of Observer (plei	GPS Point at P-line where stream of N142° 32.569. There is one tributary .362. It's upper extent is 416' below exists a three channel juntion. Upp 31.667, upper extent of trib 3 N60° (cs.; Width 3 - 5 m, depth 1 - 1.5 m. Sign habitat. Lower extent flows into urther descriptions. part of the U of A Helicopter Cruis traps were usually less than 30 minded and site. Field traps were compared to the U of A Helicopter Cruis traps were usually less than 30 minded and site.	rosses N60° 08.804 - W142° 31.755. Lower extensions of the P-line junction location with Kow P-line N60.08.705 - W142.32.251. 200′ northoler extent trib 1 N60° 08.845 - W142° 31.610, u08.914 - W 142° 31.618. Substrate small cobble and gravel. Excellent a swamp area that continues into the Duktome. Field crews surveyed streams for fish using outes per trap/ two traps per sample site. Continues of ADE&C paragraph.	por reference sent of Koehl's sehl's Creek of the P-line, N60 supper extent trib 2 pools throughout oth River.
throughout surveys, (Creek N60° 08.622 - V N60.08.698 - W142.32 08.820 W142° 31.716 N60° 08.845 - W142° 3 Stream characteristic system. Good rearing See excel sheet for full Stream surveys were traps. Soak times for identified and release Name of Observer (please	GPS Point at P-line where stream of V142° 32.569. There is one tributary .362. It's upper extent is 416' below exists a three channel juntion. Upp 31.667, upper extent of trib 3 N60° cas; Width 3 - 5 m, depth 1 - 1.5 m. Sign habitat. Lower extent flows into urther descriptions. part of the U of A Helicopter Cruis traps were usually less than 30 min and on site. Field traps were compasse print): gnature:	rosses N60° 08.804 - W142° 31.755. Lower extension of the P-line junction location with Kow P-line N60.08.705 - W142.32.251. 200′ northor extent trib 1 N60° 08.845 - W142° 31.610, u08.914 - W 142° 31.618. Substrate small cobble and gravel. Excellent a swamp area that continues into the Duktom extension of the continues per trap/ two traps per sample site. Continues of ADE&C parennal.	por reference rent of Koehl's rehl's Creek of the P-line, N60 apper extent trib 2 pools throughout of River. I baited minnow aptured fish were
throughout surveys, 6 Creek N60° 08.622 - V N60.08.698 - W142.32 08.820 W142° 31.716 N60° 08.845 - W142° 3 Stream characteristic system. Good rearing See excel sheet for fu Stream surveys were traps. Soak times for identified and release Name of Observer (pless	GPS Point at P-line where stream of V142° 32.569. There is one tributary .362. It's upper extent is 416' below exists a three channel juntion. Upp 31.667, upper extent of trib 3 N60° cas; Width 3 - 5 m, depth 1 - 1.5 m. Sign habitat. Lower extent flows into urther descriptions. part of the U of A Helicopter Cruis traps were usually less than 30 min and on site. Field traps were compasse print): gnature:	rosses N60° 08.804 - W142° 31.755. Lower extension of the P-line Junction location with Kow P-line N60.08.705 - W142.32.251. 200′ northoler extent trib 1 N60° 08.845 - W142° 31.610, u08.914 - W 142° 31.618. Substrate small cobble and gravel. Excellent a swamp area that continues into the Duktor of the Polymer of the Po	por reference rent of Koehl's rehl's Creek of the P-line, N60 apper extent trib 2 pools throughout of River. I baited minnow aptured fish were
throughout surveys, Creek N60° 08.622 - V N60.08.698 - W142.32 08.820 W142° 31.716 N60° 08.845 - W142° 3 Stream characteristic system. Good rearing See excel sheet for full stream surveys were traps. Soak times for identified and release Name of Observer (please Signal Control of Contr	GPS Point at P-line where stream of V142° 32.569. There is one tributary .362. It's upper extent is 416' below exists a three channel juntion. Upp .31.667, upper extent of trib 3 N60° (cs.; Width 3 - 5 m, depth 1 - 1.5 m. Sign habitat. Lower extent flows into urther descriptions. part of the U of A Helicopter Cruiss traps were usually less than 30 min and on site. Field to amount of the Lorent word comparature: didress: 30 The professional judgment and on or deleted from the Catalog of Voter AS 16.05.870.	rosses N60° 08.804 - W142° 31.755. Lower extension of the P-line junction location with Kow P-line N60.08.705 - W142.32.251. 200′ northoger extent trib 1 N60° 08.845 - W142° 31.610, u08.914 - W 142° 31.618. Substrate small cobble and gravel. Excellent a swamp area that continues into the Duktore. Field crews surveyed streams for fish using nutes per trap/ two traps per sample site. Continues per trap/ two traps per sample site.	pools throughout the River balf show a ptured fish were sold this waterbody ligration of

+ Overflow Channels of Cotton Creek

Site	General Area	Location	Tribs	Fish	Captured	GPS	Description	Nomination Name
Site 1	W. Cotton Creek	P-line	3 N of P-line 1 S of P-line	King	81 7 4	N 60.08'.804" W 142.31'.755"	Crossing at P-line	Koehl's Creek
	N of P-line	Junction of 3 tribs	mainstem	D. Varden	4	N 60.08'.820" W 142 .31'.716"	Junction of all 3 tribs coho visible	Koehl's Creek
	N of P-line	Upper extent	Trib 1			N 60.08'.845" W 142.31'.610"	disappears underground	Koehl's Creek
	N of P-line	Upper extent	Trib 2			N 60.08.845 W 142.31.667	disappears underground	Koehl's Creek
	N of P-line	Upper extent	Trib 3			N 60.08.914 W 142.31.618	Disappears into moss and devil's club	Koehl's Creek
	S of P-line	Trib 1 junction	Trib 1			N 60.08.698 W 142 .32.362		Koehl's Creek
	S of P-line	Trib 1 upper exten	t Trib 1			N 60.08.705 W 142 32.251	416' below P-line	Koehl's Creek
	S of P-line	Lower Extent	main stem			N 60.08'.622" W 142.32'.569"	Exits into swamp area	Trib to Duktoth

Site	General Area	Location	Tribs	Fish	Captured	GPS	Description	Nomination Name
Site 1	W. Cotton Creek	P-line	3 N of P-line 1 S of P-line		40 4 1	N 60.08'.804" W 142.31'.755"	Crossing at P-line	Koehl's Creek
	N of P-line	Junction of 3 tribs	mainstem		1	N 60.08'.820" W 142 .31'.716"	Junction of all 3 tribs coho visible	Koehl's Creek
	N of P-line	Upper extent	Trib 1		9c 2k	N 60.08'.845" W 142.31'.610"	disappears underground	Koehl's Creek
	N of P-line	Upper extent	Trib 2		7c 1k	N 60.08.845 W 142.31.667	disappears underground	Koehl's Creek
	N of P-line	Upper extent	Trib 3		10c 2dv	N 60.08.914 W 142.31.618	Disappears into moss and devil's club	Koehl's Creek
	S of P-line	Trib 1 junction	Trib 1			N 60.08.698 W 142 .32.362		Koehl's Creek
	S of P-line	Trib 1 upper exten	t Trib 1		15c 1dv	N 60.08.705 W 142 32.251	416' below P-line	Koehl's Creek
	S of P-line	Lower Extent	mainstem			N 60.08'.622" W 142.32'.569"	Exits into swamp area	Trib to Duktoth

STR#1

Site 1.bmp



